




**FITTING INSTRUCTIONS FOR LP0095 LICENCE PLATE BRACKET**  
**KAWASAKI Z1000 2010**



**THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED BELOW.**  
**DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.**

**Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike**

THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY)





### **LEGEND**

- ITEM 1 = LICENCE PLATE LIGHT (LA0002) (x1).
- ITEM 2 = RUBBER GASKET (RG0015) (x1).
- ITEM 3 = M6x20mm LONG BUTTON HEAD BOLTS (x4).
- ITEM 4 = M6 NYLOC NUTS (x4).
- ITEM 5 = LICENCE PLATE BRACKET (TB0095) (x1).
- ITEM 6 = INDICATOR ADAPTORS (I0026) (x4) FOR USE WITH MINI-INDICATORS R&G PRODUCT CODE RG370.
- ITEM 7 = LIGHT SHROUD (LH0004) (x1).
- ITEM 8 = 175mm LENGTH OF HEAT SHRINK (x3).
- ITEM 9 = CABLE CLIPS (x4) NOT SHOWN.
- ITEM 10 = REFLECTIVE STRIP (x1) NOT SHOWN.


Please note that in cases where kits are packed with rubber washers holding the components onto the bolt – *the rubber washers should be thrown away!*

### **TOOLS REQUIRED**

- Set of metric Allen keys to include 4, 5 and 6mm A/F sizes.
- Socket set to include 8 and 10mm A/F sockets and wrench.
  - Phillips screw-driver.
  - Electrical pliers/crimps.




PICTURE 1




PICTURE 2

### **FITTING INSTRUCTIONS**


- REMOVE PILLION SEAT USING KEY (SEE PICTURE 1).
- REMOVE THE TWO BOLTS ARROWED AND REMOVE SEAT RIDER SEAT (SEE PICTURE 2).
- DISCONNECT THE THREE ELECTRICAL PLUG SOCKETS FOR INDICATORS (TURN SIGNALS) AND LICENCE PLATE LIGHT (ARROWED IN PICTURES 3 & 4). (THE GREY PLUG IS FOR THE LEFT HAND INDICATOR/TURN SIGNAL).
- UNDO AND REMOVE FOUR BOLTS AND TWO SCREWS TO REMOVE ORIGINAL LICENCE PLATE BRACKET (AS SHOWN IN PICTURE 5).



PICTURE 3



PICTURE 4



PICTURE 5



PICTURE 6

- GENTLY LOWER LICENCE PLATE BRACKET WHILE FEEDING WIRES THROUGH APERTURE.
- IF REUSING ORIGINAL INDICATORS (TURN SIGNALS) REMOVE FROM ORIGINAL LICENCE PLATE BRACKET, YOU WILL HAVE TO SPLIT ORIGINAL LICENCE PLATE BRACKET BY REMOVING REFLECTOR (ONE NUT SHOWN IN PICTURE 6). ALSO REMOVE LICENCE PLATE MOUNT (TWO NUTS SHOWN IN PICTURE 7) AND TWO SCREWS (SHOWN IN PICTURES 8 & 9)



PICTURE 7



PICTURE 8




PICTURE 9



PICTURE 10

- TO REMOVE INDICATOR (TURN SIGNAL), (REMOVE ONE SCREW, CLAMP PLATE AND SPREADER PLATE FROM EACH INDICATOR (TURN SIGNAL) (SEE PICTURE 10).
- IF REUSING ORIGINAL INDICATORS (TURN SIGNALS) FIT TO NEW LICENCE PLATE BRACKET AS ORIGINAL. IF FITTING MINI-INDICATORS R&G PRODUCT CODE RG370, YOU WILL HAVE TO USE THE INDICATOR ADAPTORS SUPPLIED IN KIT.
- PLEASE NOTE: SMALLER BLACK PLUG SOCKET=RIGHT HAND INDICATOR (TURN SIGNAL). : GREY PLUG SOCKET=LEFT HAND INDICATOR (TURN SIGNAL).
- FIT NEW LICENCE PLATE LIGHT TO NEW LICENCE PLATE BRACKET (SEE PICTURE 11). WE SUGGEST CUTTING AND REUSING ORIGINAL PLUG SOCKET. PROTECT THE WIRES USING HEAT SHRINK FROM KIT.  
THE ORIGINAL RED WIRE -----NEW RED WIRE.  
THE ORIGINAL BLACK/YELLOW WIRE (EARTH) -----NEW BLACK WIRE.
- **PLEASE NOTE YOU WILL NEED TO GLUE THE LIGHT SHROUD TO THE LED LICENCE PLATE LIGHT BEFORE FITTING USING SUPER GLUE.**
- FEED THE LICENCE PLATE LIGHT WIRES THROUGH LARGER CENTRAL HOLE IN NEW LICENCE PLATE BRACKET.
- FEED THE RUBBER GASKET OVER WIRE AND UP TO NEW LICENCE PLATE BRACKET AS SHOWN IN PICTURE 11.



PICTURE 11



- OFFER THE NEW LICENCE PLATE BRACKET UP TO THE BIKE AND USING THE FOUR M6x20mm LONG BUTTON HEAD BOLTS AND NUTS SECURE IN POSITION.
- RECONNECT INDICATOR (TURN SIGNAL) PLUG SOCKETS AS ORIGINAL.
- RECONNECT LICENCE PLATE LIGHT PLUG SOCKET.
- REFIT LICENCE PLATE (IT MAY REQUIRE DRILLING).
- **IMPORTANT: IF FITTING A FULL-SIZE LICENCE PLATE AND PLACING IT FAR DOWN ON THE LICENCE PLATE HANGER, THERE IS A SMALL CHANCE OF THE LICENCE PLATE HITTING THE BACK WHEEL UNDER HEAVY LOAD AND OVER LARGE BUMPS IN THE ROAD. IT IS YOUR RESPONSIBILITY TO CHECK FOR THIS POSSIBILITY AND TAKE AVOIDING ACTION. FAILURE TO CHECK THIS COULD RESULT IN SERIOUS INJURY.**
- REFIT BOTH SEATS.
- DEPENDING ON LOCAL LAWS, ATTACH ENCLOSED RED REFLECTIVE TAPE IN AN APPROPRIATE LOCATION.
- TEST THE INDICATORS (TURN SIGNALS), LICENCE PLATE ILLUMINATOR AND ALL LIGHTS BEFORE RIDING.

#### CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in resellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 5K, Blacknest Industrial Park, Blacknest Road, Alton, Hampshire, GU34 4PX

Tel: +44 (0)1420 521100 Fax: +44 (0)1420 521101 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)